=> file registry
FILE 'REGISTRY' ENTERED AT 15:12:34 ON 18 JUL 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 JUL 2005 HIGHEST RN 855596-49-5 DICTIONARY FILE UPDATES: 17 JUL 2005 HIGHEST RN 855596-49-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> file caplus FILE 'CAPLUS' ENTERED AT 15:12:42 ON 18 JUL 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Jul 2005 VOL 143 ISS 4 FILE LAST UPDATED: 17 Jul 2005 (20050717/ED)


New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate


substance identification.

=> d stat que L13 L3 STR

н 38



Page 1-A



Ak 30

Page 2-A

```
Page 2-B
VAR G1=18-6 18-5/19-6 19-5/20-6 20-5/23-6 23-5/25-6 25-5/28-6 28-5
VAR G2=38/30
NODE ATTRIBUTES:
HCOUNT
        IS M3
                    ΑT
                          9
                        17
HCOUNT
        IS M3
                    AT
                        18
HCOUNT
        IS M1
                    AT
                        19
        IS M2
                    AT
HCOUNT
HCOUNT
                    AT
                        20
        IS M1
                        22
HCOUNT
        IS M3
                    AT
                        25
HCOUNT
        IS M1
                    AT
                        27
HCOUNT
        IS M3
                    AT
                          1
NSPEC
         IS R
                    AT
NSPEC
         IS R
                    AT
         IS R
NSPEC
                    ΑT
NSPEC
         IS R
                    AT
                          4
         IS R
NSPEC
                    AT
NSPEC
         IS R
                    AT
                          7
NSPEC
         IS R
                    AT
NSPEC
         IS C
                    AT
NSPEC
         IS C
                    AT
                          9
NSPEC
         IS C
                        10
                    AT
         IS C
                        11
NSPEC
                    AT
         IS C
                        12
NSPEC
                    AT
         IS C
NSPEC
                        13
                    AT
         IS C
                        14
NSPEC
                    AT
                         15
         IS C
                    AT
NSPEC
         IS C
                        16
NSPEC
                    AT
NSPEC
         IS C
                   · AT
                        17
         IS R
                        18
NSPEC
                    AT
                        19
NSPEC
         IS R
                    AT
                        20
NSPEC
         IS R
                    AT
NSPEC
         IS RC
                         21
                    AT
                         22
NSPEC
         IS C
                    AT
NSPEC
         IS R
                    AT
                         23
                         24
NSPEC
         IS RC
                    AT
                         25
NSPEC
         IS R
                    AT
                         26
NSPEC
         IS RC
                    AT
                         27
NSPEC
         IS C
                    AT
                         28
NSPEC
         IS R
                    AT
                         29
NSPEC
         IS RC
                    AT
                         30
         IS C
NSPEC
                    AT
                         31
NSPEC
         IS C
                    AT
                         32
NSPEC
         IS R
                    AT
                         33
NSPEC
         IS R
                    AT
                         34
NSPEC
         IS R
                    AT
                         35
                    AT
NSPEC
         IS R
```

```
NSPEC
       IS R
                     36
                     37
       IS R
                 AT
NSPEC
             RC AT
CONNECT IS E3
              RC AT
CONNECT IS E1
              RC AT
CONNECT IS E3
              RC AT
CONNECT IS E1
CONNECT IS E3
             RC AT
CONNECT IS E1 RC AT
DEFAULT MLEVEL IS ATOM
                      8 9 10 11 12 13 14 15 16 17 21 22 24 26 27 29 30
       IS CLASS AT
MLEVEL
         34 35 36 37 38
       IS LOC AT 30
GGCAT
DEFAULT ECLEVEL IS LIMITED
ECOUNT IS M1-X4 C
                  AT
```

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED


NUMBER OF NODES IS


STEREO ATTRIBUTES: NONE

76 SEA FILE=REGISTRY SSS FUL L3 L6


L8 STR

н 33






Page 1-A



Ak 31

Page 2-A



Page 2-B VAR G3=17-5 17-6/18-5 18-6/19-5 19-6/22-5 22-6 VAR G4=33/31NODE ATTRIBUTES: HCOUNT IS M3 AT8 16 IS M3 ATHCOUNT 17 HCOUNT IS M1 ΑT 18 IS M2 AT HCOUNT 19 HCOUNT IS M1 AT HCOUNT IS M3 AT 21 1 NSPEC IS R AT NSPEC IS R 2 3 4 AT NSPEC IS R AT IS R NSPEC AT 5 6 7 NSPEC IS R AT NSPEC IS R AT NSPEC IS C AT 8 IS C NSPEC AT IS C 9 NSPEC AT IS C 10 NSPEC AT NSPEC IS C 11 ATIS C 12 NSPEC AT13 NSPEC IS C AT

```
NSPEC
                         14
         IS C
                    AT
NSPEC
         IS C
                    AT
                         15
NSPEC
         IS C
                         16
                    AT
NSPEC
         IS R
                         17
                    AT
NSPEC
                         18
         IS R
                    AT
NSPEC
         IS R
                    AT
                         19
NSPEC
         IS RC
                         20.
                    ΑT
         IS C
                         21
NSPEC
                    AT
NSPEC
         IS R
                    AT
                         22
                         23
NSPEC
         IS RC
                    AT
NSPEC
         IS R
                    AT
                         24
                         25
NSPEC
         IS R
                    AT
NSPEC
         IS R
                         26
                    AT
                         27
        · IS R
                    AT
NSPEC
NSPEC
         IS R
                    AT
                         28
         IS R
                         29
NSPEC
                    AT
NSPEC
         IS R
                    AT
                         30
                         31
         IS C
                    AT
NSPEC
NSPEC
         IS C
                         32
                    AT
CONNECT IS E3
                          6
                 RC AT
CONNECT IS E1
                 RC AT
CONNECT IS E3
                 RC AT
                          9
CONNECT IS E1
                 RC AT
                         1.0
CONNECT IS E3
                 RC AT
                         14
CONNECT IS E1
                 RC AT
                         15
DEFAULT MLEVEL IS ATOM
                                 9 10 11 12 13 14 15 16 20 21 23 26 27 28 29
         IS CLASS
MLEVEL
                    AT
                          7
           31 33
DEFAULT ECLEVEL IS LIMITED
ECOUNT
       IS M1-X4 C
                     \mathtt{T}\mathtt{A}
                           31
GRAPH ATTRIBUTES:
```

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 33

STEREO ATTRIBUTES: NONE

L12 17 SEA FILE=REGISTRY SUB=L6 SSS FUL L8
L13 4 SEA FILE=CAPLUS ABB=ON PLU=ON L12

=> d ibib abs hitstr L13 1-4

L13 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2004:182891 CAPLUS

DOCUMENT NUMBER:

140:217438

TITLE:

Preparation of hydroxymethylpenicillanic acid sulfones

as β -lactamase inhibitor prodrugs

INVENTOR(S):

Marfat, Anthony; McLeod, Dale Gordon

PATENT ASSIGNEE(S): SOURCE:

Pfizer Products Inc., USA PCT Int. Appl., 83 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004018484	A1	20040304	WO 2003-IB3582	20030811

```
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
            CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
            GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
            LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM,
            PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT,
            TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
        RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
            KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
            FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
            BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                20040304
                                            CA 2003-2494953
                                                                    20030811
    CA 2494953
                         AA
                                            EP 2003-792574
                                                                    20030811
                                20050601
                         A1
    EP 1534717
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
                                20040610
                                                                    20030825
                                            US 2003-648408
     US 2004110740
                         A1
                                            US 2002-405640P
                                                                P 20020823
PRIORITY APPLN. INFO.:
                                                                    20030811
                                            WO 2003-IB3582
                                                                W
```

GI

Mw WM

Prodrugs of 6 β -hydroxymethylpenicillanic acid sulfone of formula I [R = H, Me] and solvates thereof, are prepared Also disclosed are pharmaceutical compns. comprising a prodrug of the present invention, or a solvate thereof, an optional β -lactam antibiotic and at least one pharmaceutically acceptable carrier. Further disclosed is a method for increasing the therapeutic effectiveness of a β -lactam antibiotic in a mammal by administering an effective amount of a β -lactam antibiotic and an effectiveness-increasing amount of a prodrug of the present invention, or a solvate thereof. Addnl. disclosed is a method for treating a bacterial infection in a mammal by administering a therapeutically effective amount of a pharmaceutical composition of the present invention to a mammal in need thereof. Thus, a combination of amoxicillin and prodrug I (R = (R)-Me) was effective against S. pneumoniae in gerbil otitis media model.

IT 666174-85-2P 666174-86-3P 666174-87-4P 666174-88-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of hydroxymethylpenicillanic acid sulfones as β -lactamase inhibitor prodrugs)

RN 666174-85-2 CAPLUS

CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-(hydroxymethyl)-3,3-dimethyl-7-oxo-, (benzoyloxy)methyl ester, 4,4-dioxide, (2S,5R,6R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 666174-86-3 CAPLUS

CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-(hydroxymethyl)-3,3-dimethyl-7-oxo-, 1-(benzoyloxy)ethyl ester, 4,4-dioxide, (2S,5R,6R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 666174-87-4 CAPLUS

CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-(hydroxymethyl)-3,3-dimethyl-7-oxo-, (1R)-1-(benzoyloxy)ethyl ester, 4,4-dioxide, (2S,5R,6R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 666174-88-5 CAPLUS

CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-(hydroxymethyl)-3,3-dimethyl-7-oxo-, (1S)-1-(benzoyloxy)ethyl ester, 4,4-dioxide, (2S,5R,6R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT:

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L13 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

5

ACCESSION NUMBER: 1984:591536 CAPLUS

DOCUMENT NUMBER: 101:191536

TITLE: 1,1-Alkanediol dicarboxylate-linked antibacterial

agents

INVENTOR(S): Jasys, Vytautas J.; Kellogg, Michael S.

PATENT ASSIGNEE(S): Pfizer Inc., USA

SOURCE: U.S., 39 pp. Cont.-in-part of U.S. Ser. No. 334,022,

abandoned. CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4457924	A	19840703	US 1982-429915	19820930
EP 83484	A1	19830713	EP 1982-306683	19821214
EP 83484	В1	19860219		
R: AT, BE, CH	, DE, FF	R, GB, IT,	LI, LU, NL, SE	
AT 18051	E	19860315	AT 1982-306683	19821214
RO 84911	E P B3	19840817	RO 1982-109396	19821220
RO 87709	В3	19851031	RO 1982-113244	19821220
	A	19830623	DK 1982-5654	19821221
FI 8204409	A	19830623	FI 1982-4409	19821221
FI 80039	В	19891229	•	
FI 80039	С	19900410		
NO 8204305	A	19830623	NO 1982-4305	19821221
AU 8291721	A1	19830630	AU 1982-91721	19821221
AU 537214	B2	19840614		
ZA 8209372	A	19830928	ZA 1982-9372	19821221
ни 27683	Ο	19831028	ни 1982-4105	19821221
ни 187737	В	19860228		
ES 518425	A1	19840201	ES 1982-518425	19821221
DD 207379	A5	19840229	DD 1982-246325	19821221
IL 67530	A1	19860228	IL 1982-67530	19821221
CA 1213582	A1	19861104	CA 1982-418192	19821221
PL 140291	B1	19870430		
PL 141306	B1	19870731		19821221
SU 1405704	A3	19880623	SU 1982-3529507	19821221

PL 145927	B1	19881130	PL 1982-256903	19821221
JP 58116486	A2	19830711	JP 1982-225773	19821222
JP 02051436	B4	19901107		
CS 236867	B2	19850515	CS 1982-9559	19821222
CS 236895	B2	19850515	CS 1983-7237	19821222
ES 524894	A1	19850201	ES 1983-524894	19830811
ES 524895	A1	19850201	ES 1983-524895	19830811
CA 1236828	A2	19880517	CA 1986-513548	19860710
FI 8800653	A	19880212	FI 1988-653	19880212
FI 81102	В	19900531		
FI 81102	С	19900910		
FI 8800654	A	19880212	FI 1988-654	19880212
FI 81353	В	19900629	•	
FI 81353	С	19901010		
JP 02270881	A2	19901105	JP 1990-33601	19900214
DK 9200690	A	19920526	DK 1992-690	19920526
DK 9200691	A	19920526	DK 1992-691	19920526
PRIORITY APPLN. INFO.:			US 1981-334022	A2 19811222
	·		US 1982-429915	A 19820930
			EP 1982-306683	A 19821214
			CA 1982-418192	A3 19821221
			FI 1982-4409	A 19821221
·				

GI

$$R^{5} = \begin{array}{c} & & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

RCO2CHR102CXO2C(CHR102C)nR2 [X = C1-12 alkylene, alkylidene (un)substituted by Ph or CO2H, cycloalkylene, phenylene, naphthalenediyl, furandiyl, thiophendiyl, pyridinediyl, pyrazinediyl; R = R3-R5; R1 = H, alkyl; R2 = R3-R5, H, alkyl, CH2Ph, CHR1Cl, CHR1I, NBu4; R6 = NH2, 2,6-(MeO)2C6H3CONH, PhOCH2CONH, 4-R9C6H4CHR10CONH; R7 = H, CH2OH, CH2NH2, CHMeNH2; R8 = H, Cl, OAc; R9 = H, OH, acyloxy, alkoxycarbonyloxy, (un)substituted BzO; R10 = H, (un)protected NH2, N3] were prepared Thus, I was prepared from Na penicillanate 1,1-dioxide, ampicillin, K benzyl trans-1,4-cyclohexanedicarboxylate, ClCH2I, and ClCH2Br in 10 steps.

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrogenolysis of)

RN 87343-43-9 CAPLUS

CN 1,4-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl phenylmethyl ester, (2S-cis)- (9CI) (CA INDEX NAME)

Me
$$C-O-CH_2-D-C$$
 $C-O-CH_2-Dh$

RN 87343-50-8 CAPLUS

CN 1,3-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl phenylmethyl ester, (2S-cis)- (9CI) (CA INDEX NAME)

IT 87352-91-8P 87352-93-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrolysis of)

RN 87352-91-8 CAPLUS

1,4-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl [[[6-[[(3-methoxy-1-methyl-3-oxo-1-propenyl)amino]phenylacetyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl ester, [2S-[2 α (2R*,5S*),5 α ,6 β (S*)]]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 87352-93-0 CAPLUS

7.332.33 c. Childs
1,3-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl [[[6-[[[(3-methoxy-1-methyl-3-oxo-1-propenyl)amino]phenylacetyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl ester, [2S-[2 α (2R*,5S*),5 α ,6 β (S*)]]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

IT 87343-44-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and neutralization of)

RN 87343-44-0 CAPLUS

CN 1,4-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, sodium salt,
(2S-cis)- (9CI) (CA INDEX NAME)

Na

IT 87343-51-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and reaction of, with ampicillin iodomethyl ester)

RN 87343-51-9 CAPLUS

CN 1,3-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, sodium salt, (2S-cis)- (9CI) (CA INDEX NAME)

Na

87343-45-1 87352-92-9 87503-35-3 ·IT

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with acetoacetate)

87343-45-1 CAPLUS RN

1,4-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4-CNthia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, (2S-cis)-(9CI) (CA INDEX NAME)

87352-92-9 CAPLUS RN

1,4-Benzenedicarboxylic acid, [[[6-[(aminophenylacetyl)amino]-3,3-dimethyl-CN 7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2yl)carbonyl]oxy]methyl ester, monohydrochloride, [2S- $[2\alpha(2R^*,5S^*),5\alpha,6\beta(S^*)]$ (9CI) (CA INDEX NAME)

● HCl

RN 87503-35-3 CAPLUS

1,3-Benzenedicarboxylic acid, [[[6-[(aminophenylacetyl)amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl ester, monohydrochloride, [2S-[2 α (2R*,5S*),5 α ,6 β (S*)]]- (9CI) (CA INDEX NAME)

HCl

L13 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1984:6194 CAPLUS

DOCUMENT NUMBER:

100:6194

TITLE:

1,1-Alkanediol dicarboxylate linked antibacterial

agents

INVENTOR(S):

Jasys, Vytautas John; Kellogg, Michael Stephen

PATENT ASSIGNEE(S):

Pfizer Inc., USA

SOURCE:

Eur. Pat. Appl., 124 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

Γ: 2

PATENT INFORMATION:

PATE	ENT NO.		KIND	DATE	APPLICATION NO.		DATE
EP 8	33484 33484	_	A1 B1	19830713 19860219	EP 1982-306683		19821214
US 4	R: AT, BE 1457924 18051 APPLN. INF	•	DE, FI A E	R, GB, IT, 19840703 19860315	LI, LU, NL, SE US 1982-429915 AT 1982-306683 US 1981-334022 US 1982-429915 EP 1982-306683	A A A	19820930 19821214 19811222 19820930 19821214

Diesters of alkanedicarboxylic acids with penicillin esters and penicillanates, penicillanate dioxides, or hydroxyethyleneoxaazabicyclohep tanecarboxylates were prepared Thus, I was obtained from Na penicillanate dioxide, ampicillin, and K benzyl trans-1,4-cyclohexanedicarboxylate, ClCH2I, and BrCH2Cl in 10 steps.

Ι

IT 87343-43-9P 87343-50-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrogenolysis of)

RN 87343-43-9 CAPLUS

CN 1,4-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl phenylmethyl ester, (2S-cis)- (9CI) (CA INDEX NAME)

RN 87343-50-8 CAPLUS

CN 1,3-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl phenylmethyl ester, (2S-cis)- (9CI) (CA INDEX NAME)

IT 87352-91-8P 87352-93-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrolysis of)

RN 87352-91-8 CAPLUS

1,4-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl [[[6-[[(3-methoxy-1-methyl-3-oxo-1-propenyl)amino]phenylacetyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl ester, [2S-[2 α (2R*,5S*),5 α ,6 β (S*)]]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 87352-93-0 CAPLUS

CN 1,3-Benzenedicarboxylic acid, [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl [[[6-[[(3-methoxy-1-methyl-3-oxo-1-propenyl)amino]phenylacetyl]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl ester, [2S-[2α(2R*,5S*),5α,6β(S*)]]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

IT 87343-44-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and neutralization of)

RN 87343-44-0 CAPLUS

CN 1,4-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, sodium salt, (2S-cis)- (9CI) (CA INDEX NAME)

Na

IT 87343-51-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and reaction of, with ampicillin iodomethyl ester)

RN 87343-51-9 CAPLUS

CN 1,3-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, sodium salt,
(2S-cis)- (9CI) (CA INDEX NAME)

Na

IT 87343-45-1P 87352-92-9P 87503-35-3P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

RN 87343-45-1 CAPLUS

CN 1,4-Benzenedicarboxylic acid, mono[[[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl] ester, (2S-cis)-(9CI) (CA INDEX NAME)

RN 87352-92-9 CAPLUS

CN 1,4-Benzenedicarboxylic acid, [[[6-[(aminophenylacetyl)amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl [[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-

yl)carbonyl]oxy]methyl ester, monohydrochloride, [2S-[2 α (2R*,5S*),5 α ,6 β (S*)]]- (9CI) (CA INDEX NAME)

● HCl

RN 87503-35-3 CAPLUS
1,3-Benzenedicarboxylic acid, [[[6-[(aminophenylacetyl)amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl]carbonyl]oxy]methyl
[[(3,3-dimethyl-4,4-dioxido-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-yl)carbonyl]oxy]methyl ester, monohydrochloride, [2S-[2α(2R*,5S*),5α,6β(S*)]]- (9CI) (CA INDEX NAME)

● HCl

L13 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN ACCESSION NUMBER: 1983:600528 CAPLUS DOCUMENT NUMBER: 99:200528

TITLE: Treating resistant bacteria including anaerobes

INVENTOR(S): Gordon, Maxwell; Pachter, I. Jacob

PATENT ASSIGNEE(S): Bristol-Myers Co., USA

SOURCE: U.S., 5 pp. CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
	~~~~	10020027	us 1981-310346		19811013
US 4406887	A	19830927			
JP 60061528	A2	19850409	JP 1983-165347		19830909
EP 134302	A1	19850320	EP 1983-109144		19830915
EP 134302	В1	19870616	•		•
R: AT, BE, CH,	DE, FR	GB, IT, L	I, LU, NL, SE		
AT 27772	E	19870715	AT 1983-109144		19830915
PRIORITY APPLN. INFO.:			US 1981-310346		19811013
ENTONITI ALLIN. INCO			EP 1983-109144	A	19830915

GΙ

AB A synergistic combination of BL-P2013 (I) [79634-05-2] or its salts, as β-lactamase inhibitors, and ceftazidime (II) [72558-82-8] is used to treat bacteroides infection, especially by parenteral administration. Marked synergism was found for I and II against a number of bacteria compared with I or II alone. An injection composition was prepared containing II 500, I K salt [79634-05-2] 500 and Na2CO3 47 mg.

IT **87877-18-7** 

RL: BIOL (Biological study)
(bactericidal compns. containing synergistic combination of ceftazidime with)

RN 87877-18-7 CAPLUS

CN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 3-(chloromethyl)-3-methyl-7-oxo-, (benzoyloxy)methyl ester, 4,4-dioxide, [2S-(2α,3β,5α)]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

=> file beilstein FILE 'BEILSTEIN' ENTERED AT 15:15:59 ON 18 JUL 2005 COPYRIGHT (c) 2005 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002 FILE LAST UPDATED ON APRIL 21, 2005

FILE COVERS 1771 TO 2004.

*** FILE CONTAINS 9,218,366 SUBSTANCES ***

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For mo detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

*************

- * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST.
- * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE
- * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE
- * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS.
- * FOR PRICE INFORMATION SEE HELP COST

*****************

NEW

- * PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE SEARCHED, SELECTED AND TRANSFERRED.
- * NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES, ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A COMPOUND AT A GLANCE.

=> s L8 full sss FULL SEARCH INITIATED 15:16:09 FILE 'BEILSTEIN' FULL SCREEN SEARCH COMPLETED - 570 TO ITERATE

100.0% PROCESSED 570 ITERATIONS SEARCH TIME: 00.00.16

0 ANSWERS

L14 0 SEA SSS FUL L8

# Berch 10_648408

=> d his full

L7

(FILE 'HOME' ENTERED AT 14:25:23 ON 18 JUL 2005)

FILE 'REGISTRY' ENTERED AT 14:25:32 ON 18 JUL 2005

- STRUCTURE UPLOADED L1
- L26 SEA SSS SAM L1

D SCA

FILE 'STNGUIDE' ENTERED AT 14:29:03 ON 18 JUL 2005

FILE 'REGISTRY' ENTERED AT 14:30:02 ON 18 JUL 2005

STRUCTURE UPLOADED L3

5 SEA SSS SAM L3 L4

D SCA

FILE 'CAPLUS' ENTERED AT 14:31:38 ON 18 JUL 2005

5 SEA ABB=ON PLU=ON L4 L5

FILE 'REGISTRY' ENTERED AT 14:42:20 ON 18 JUL 2005

D SCA L4

D L4

D L3

L676 SEA SSS FUL L3

FILE 'CAPLUS' ENTERED AT 14:47:36 ON 18 JUL 2005

21 SEA ABB=ON PLU=ON L6

STRUCTURE UPLOADED  $rspace{1}{18}$ 

S L8

FILE 'REGISTRY' ENTERED AT 14:56:40 ON 18 JUL 2005

1 SEA SSS SAM L8 L9

FILE 'CAPLUS' ENTERED AT 14:56:41 ON 18 JUL 2005

2 SEA ABB=ON PLU=ON L9 L10

FILE 'REGISTRY' ENTERED AT 14:56:59 ON 18 JUL 2005

1 SEA SUB=L6 SSS SAM L8 L11

17 SEA SUB=L6 SSS FUL L8 L12

FILE 'CAPLUS' ENTERED AT 14:58:56 ON 18 JUL 2005

4 SEA ABB=ON PLU=ON L12 L13

FILE 'REGISTRY' ENTERED AT 14:59:36 ON 18 JUL 2005

FILE 'REGISTRY' ENTERED AT 15:12:34 ON 18 JUL 2005

FILE 'CAPLUS' ENTERED AT 15:12:42 ON 18 JUL 2005

D STAT QUE L13

D IBIB ABS HITSTR L13 1-4

FILE 'BEILSTEIN' ENTERED AT 15:15:59 ON 18 JUL 2005

O SEA SSS FUL L8 L14

FILE 'STNGUIDE' ENTERED AT 15:17:21 ON 18 JUL 2005

FILE 'REGISTRY' ENTERED AT 15:24:18 ON 18 JUL 2005

59 SEA ABB=ON PLU=ON L6 NOT L12 L15

FILE 'CAPLUS' ENTERED AT 15:25:01 ON 18 JUL 2005 L16 0 SEA ABB=ON PLU=ON L15 AND L13

FILE 'REGISTRY' ENTERED AT 15:26:11 ON 18 JUL 2005

FILE 'CAPLUS' ENTERED AT 15:28:30 ON 18 JUL 2005

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 JUL 2005 HIGHEST RN 855596-49-5 DICTIONARY FILE UPDATES: 17 JUL 2005 HIGHEST RN 855596-49-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

**************

* The CA roles and document type information have been removed from *

* the IDE default display format and the ED field has been added, *

* effective March 20, 2005. A new display format, IDERL, is now *

* available and contains the CA role and document type information. *

**********

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

FILE STNGUIDE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Jul 15, 2005 (20050715/UP).

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Jul 2005 VOL 143 ISS 4 FILE LAST UPDATED: 17 Jul 2005 (20050717/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE BEILSTEIN
FILE RELOADED ON OCTOBER 20, 2002
FILE LAST UPDATED ON APRIL 21, 2005

FILE COVERS 1771 TO 2004.

FILE CONTAINS 9,218,366 SUBSTANCES

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For mo detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

************

- * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST.
- * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE
- * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE
- * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS.
- * FOR PRICE INFORMATION SEE HELP COST

**********

NEW

- * PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE SEARCHED, SELECTED AND TRANSFERRED.
- * NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES, ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A COMPOUND AT A GLANCE.